


Range of coverage☆☆☆

Book the service now directly in the Online ExhibitorShop. You will find the access link on the cover page.

Fact Sheet - Marketing	Section: On Site
Product name: Glas panels NCC Ost	Sample picture: 
Artwork until: 4 weeks before the start of the exhibition	Data: Print PDF (as of version X3 and higher); fonts completely integrated or converted into character paths. 1:1, 1:10 (in correct proportions)
Untrimmed size (W x H): 990 x 840 mm	Resolution: 150 dpi (1:1) or 1,500 dpi (1:10)
Net size (W x H): 970 x 820 mm Size between the brackets: 890 x 810 mm	Trims/ Bleed: 20 mm trims/bleed all around
Visible area (W x H): 940 x 800 mm	Special colours: Converted in advance to 4c
Colour management: CMYK – Coated FOGRA39 (ISO 12647-2:2004)	Transparencies: Please supply only PDF files in which the transparencies are reduced. With PDF files that have not been reduced (saved compatibility via Acrobat 4 PDF 1.3) may result serious errors may occur in the printout.

Information:

Please note

Included coloured pixel images must be saved as CMYK EPS with JPEG compression (maximum quality). Files from PowerPoint, Word or Excel cannot be processed, as this often leads to faulty printing results.

The bracket areas of the glass panes will be cut out.

When you purchase this item, you will receive 10 discs that are printed on one side.

Site map (Please see the specific hall plan of the event as well as the adjoining service areas and passageways):

