

Exclusive - Marketing	Section: On Site
Product name:	Sample picture:
Pillar advertising outdoor	
Information:	
Become one with the pillar. Your advertising message on banners is wrapped around the pillar.	
Utilize:	
Visibility 숬 숬 Leads 숬 숬 ☆ Range of coverage 숬 숬 숬	

Book the service now directly in the Online ExhibitorShop. You will find the access link on the cover page.



Fact Sheet - Marketing	Section: On Site
Product name:	Sample picture:
Pillar advertising outdoor	
Artwork until:	Data:
6 weeks before the start of the exhibition	Print PDF (as of version X3 and higher); fonts completely integrated or converted into character paths.
Format (H x L):	Resolution:
5,000 mm x 4,000 mm	72 – 100 dpi (1:1)
Colour management:	
 Pantone color definitions "solid coated" or "solid uncoated" (excluding 800 series) HKS color definitions "HKS-K" (e.g. HKS 44 K) CMYK values, use prepress innovations DCS Book uncoated or coated color scale 	
Transparencies:	Programs:
Please supply only PDF files in which the transparencies are reduced. With PDF files that have not been reduced (saved compatibility via Acrobat 4 PDF 1.3) may result serious errors may occur in the printout.	Adobe Illustrator, Macromedia Freehand or Adobe Photoshop

Information:
Please note
Included coloured pixel images must be saved as CMYK EPS with JPEG compression (maximum quality). Files from PowerPoint, Word or Excel cannot be processed, as this often leads to faulty

printing results.



