


Book the service now directly in the Online ExhibitorShop. You will find the access link on the cover page.

Fact Sheet - Marketing		Section: On Site	
<b>Product name:</b>  <b>RiggBanner</b>		<b>Sample picture:</b> 	
<b>Artwork until:</b>  4 weeks before the start of the exhibition		<b>Data:</b>  Print PDF (as of version X3 and higher); fonts completely integrated or converted into character paths. Aspect ratio 1:10 or 1:20	
<b>Untrimmed size (W x H):</b> 17,600 mm x 8,100 mm		<b>Net size (W x H):</b> 17,500 mm x 8,000 mm	
<b>Resolution:</b> 70 – 150 dpi (1:1)		<b>Trims/Bleed:</b> 50 mm trims/bleed all around	
<b>Colour management:</b> CMYK – Coated FOGRA39 (ISO 12647-2:2004)		<b>Special colours:</b> Converted in advance to 4c	
<b>Transparencies:</b>  Please supply only PDF files in which the transparencies are reduced. With PDF files that have not been reduced (saved compatibility via Acrobat 4 PDF 1.3) may result serious errors may occur in the printout.			

Information:
<p><b><u>Please note</u></b></p> <p>Included coloured pixel images must be saved as CMYK EPS with JPEG compression (maximum quality). Files from PowerPoint, Word or Excel cannot be processed, as this often leads to faulty printing results.</p> <p>Eyelets are provided all round the banner at a spacing of 300 mm; the eyelets sit in the middle of a “reinforcing tape” that is applied on the back of the print and has a width of 5cm.</p>

**Site map (Please see the specific hall plan of the event as well as the adjoining service areas and passageways):**

